

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in this application:

Claims 1-34 (Cancelled)

35. (Currently Amended) A makeup composition comprising:

-at least one liquid fatty phase structured with a mixture of at least one semi-crystalline polymer having an organic structure selected from low-melting polymers having a melting temperature of less than 50° C, and at least one semi-crystalline polymer having an organic structure selected from high-melting polymers having a melting temperature of at least 50° C, wherein the semi-crystalline polymers are side chain crystallizable polymers; and

wherein the ratio by weight of the low-melting point polymer to the high-melting polymer ranges from 50/50 to 90/10; and further wherein the total amount of the polymer mixture in the composition ranges from 15% to 80% by weight, relative to the total weight of the composition;

-at least one colorant; and

-at least one volatile oil;

wherein the liquid fatty phase, colorant, volatile oil, and polymer together form a physiologically acceptable medium.

36. (Currently Amended) The makeup composition of claim 35, wherein the at least one volatile oil has at least one of the following properties: a boiling temperature at atmospheric pressure of less than 220°C, a vapor pressure, measured at ambient

temperature and atmospheric pressure, ranging from 0.266 Pa to 40,000 Pa, and a flash point ranging from 40°C to 100°C.

37. (Previously Presented) The makeup composition of claim 35, wherein the at least one volatile oil is chosen from

linear or cyclic silicone oils having a viscosity at ambient temperature of less than 8 cSt and optionally comprising C<sub>1-10</sub> alkyl or C<sub>1-10</sub> alkoxy groups, and volatile hydrocarbon-based oils having from 8 to 16 carbon atoms, and mixtures thereof.

38. (Withdrawn) The makeup composition of claim 37, wherein the linear or cyclic silicone oils comprise from 2 to 7 silicone atoms.

39. (Withdrawn) The makeup composition of claim 37 wherein the linear or cyclic silicon oils are chosen from octamethylcyclotetrasiloxane, decamethyl-cyclopentasiloxane, dodecamethyl-cyclohexasiloxane, heptamethyl-hexyltrisiloxane, heptamethyl-octyl-trisiloxane, hexa-methyl-disiloxane, octamethyl-trisiloxane, decamethyl-tetrasiloxane, dodecamethyl-pentasiloxane and mixtures thereof.

40. (Previously Presented) The makeup composition of claim 37, wherein the volatile hydrocarbon based oil is chosen from branched C<sub>8</sub>-C<sub>16</sub> alkanes, branched C<sub>8</sub>-C<sub>16</sub> esters, and mixtures thereof.

41. (Previously Presented) The makeup composition of claim 40, wherein the C<sub>8</sub>-C<sub>16</sub> alkanes are chosen from C<sub>8</sub>-C<sub>16</sub> isoalkanes.

42. (Previously Presented) The makeup composition of claim 41, wherein the C<sub>8</sub>-C<sub>16</sub> isoalkanes are chosen from isododecane, isodecane, and isohexadecane.

43. (Withdrawn) The makeup composition of claim 40, wherein the branched C<sub>8</sub>-C<sub>16</sub> ester is isohexyl neopentanoate.

44. (Previously Presented) The makeup composition according to claim 35, wherein the at least one volatile oil is present in an amount ranging from 20% to 50% by weight, relative to the total weight of the composition.

45. (Previously Presented) The makeup composition according to claim 44, wherein the at least one volatile oil is present in an amount ranging from 30% to 40% by weight, relative to the total weight of the composition.

46. (Previously Presented) The makeup composition according to claim 35, wherein the at least one volatile oil is present in an amount ranging from 40% to 60% by weight of the liquid fatty phase.

47. (Previously Presented) The makeup composition according to claim 46, wherein the at least one volatile oil is present in an amount ranging from 45% to 55% by weight of the liquid fatty phase.

48. (Previously presented) The makeup composition of claim 35, wherein the weight ratio of the at least one volatile oil relative to the semi-crystalline polymers in the mixture ranges from 1 to 2.5.

49. (Previously Presented) The makeup composition of claim 48, wherein the weight ratio of the at least one volatile oil relative to the semi-crystalline polymers in the mixture ranges from 1.5 to 2.

50. (Previously Presented) The makeup composition of claim 35, wherein the semi-crystalline polymers in the mixture have a weight-average molecular mass ranging from 5,000 to 1,000,000.

51. (Previously Presented) The makeup composition of claim 50, wherein the semi-crystalline polymers in the mixture have a weight-average molecular mass ranging from 15,000 to 500,000.


52. (Currently Amended) The makeup composition of claim 35, wherein the ~~at least one of~~ semi-crystalline polymers in the mixture are is soluble in the liquid fatty phase at a temperature greater than ~~its~~ their melting temperature.

53. (Previously Presented) The makeup composition of claim 35, wherein the at least one semi-crystalline polymer is chosen from

- block copolymers of polyolefins of controlled crystallization,
  - aliphatic or aromatic volatile polycondensates and aliphatic/aromatic covolatiles,
  - homopolymers or copolymers bearing at least one crystallizable side chain,
- and mixtures thereof.

54. (Previously Presented) The makeup composition of claim 35, wherein the at least one semi-crystalline polymer is chosen from homopolymers and copolymers comprising from 50% to 100% by weight of units resulting from the polymerization of at least one monomer bearing at least one crystallizable hydrophobic side chain.

55. (Previously Presented) The makeup composition of claim 35, wherein the at least one semi-crystalline polymer is chosen from homopolymers and copolymers resulting from the polymerization of at least one monomer comprising at least one crystallizable side chain, of formula X:



wherein M represents an atom of the polymer skeleton;

S represents a spacer;

C represents a crystallizable group, and mixtures thereof;

and S-C represents an optionally fluorinated and perfluorinated alkyl chain having at least 11 carbon atoms.

56. (Previously Presented) The makeup composition of claim 35, wherein the at least one semi-crystalline polymer is chosen from polymers resulting from the polymerization of at least one monomer chosen from acrylic acid, methacrylic acid, crotonic acid, itaconic acid, maleic acid, maleic anhydride and mixtures thereof.

57. (Previously Presented) The makeup composition of claim 35, wherein the at least one semi-crystalline polymer is chosen from homopolymers and copolymers resulting from the polymerization of at least one monomer having a crystallizable side chain.

58. (Currently Amended) The makeup composition of claim 57, wherein the said at least one monomer having a crystallizable side chain is chosen from C<sub>14</sub>-C<sub>24</sub> saturated alkyl (meth)acrylates, C<sub>11</sub>-C<sub>15</sub> perfluoroalkyl (meth)acrylates, C<sub>14</sub> to C<sub>24</sub> N-alkyl(meth)acrylamides optionally containing a fluorine atom, vinyl esters containing C<sub>14</sub> to C<sub>24</sub> alkyl or perfluoroalkyl chains, vinyl ethers containing C<sub>14</sub> to C<sub>24</sub> alkyl or

perfluoroalkyl chains, C<sub>14</sub> to C<sub>24</sub> alpha-olefins, para-alkylstyrenes with an alkyl group containing from 12 to 24 carbon atoms, and mixtures thereof.

59. (Previously Presented) The makeup composition of claim 35, wherein the at least one semi-crystalline polymers are homopolymers of alkyl (meth)acrylate or of alkyl(meth)acrylamide with a C<sub>14</sub> to C<sub>24</sub> alkyl group and/or copolymers of these monomers with a hydrophilic monomer.

60. (Previously Presented) The makeup composition of claim 35, wherein the at least one semi-crystalline polymers are copolymers of alkyl (meth)acrylate or of an alkyl(meth)acrylamide with a C<sub>14</sub> to C<sub>24</sub> alkyl group, with a monomer different in nature from (meth)acrylic acid.

61. (Previously Presented) The makeup composition of claim 60, wherein the monomer different in nature from (meth)acrylic acid is chosen from N-vinylpyrrolidone, hydroxyethyl (meth)acrylate, and mixtures thereof.

62. (Cancelled)

63. (Currently Amended) The makeup composition of claim ~~[[62]]~~ 35, wherein the total amount of semi-crystalline polymers in the composition ranges from 15% to 25% by weight, relative to the total weight of the composition.

64. (Cancelled.)

65. (Previously Presented) The makeup composition of claim 35, wherein the high-melting polymers have a melting temperature mp<sub>1</sub> ranging from 55° C to 150° C.

66. (Previously Presented) The makeup composition of claim 65, wherein the high-melting polymers have a melting temperature mp<sub>1</sub> ranging from 60° C to 130° C.

67. (Previously Presented) The makeup composition of claim 35, wherein the low-melting polymers have a melting temperature  $mp_2$  ranging from 30° C to less than 50° C.

68. (Cancelled)

69. (Currently Amended) The makeup composition of claim [[68]] 67, wherein the ratio by weight of the at least one semi-crystalline polymer selected from low-melting polymers to the at least one semi-crystalline polymer selected from high-melting polymers is 50/50.

70. (Previously Presented) The makeup composition of claim 35, wherein the at least one liquid fatty phase comprises at least one polar oil and isononyl isononanoate.

71. (Previously Presented) The makeup composition of claim 35, wherein the weight ratio of the semi-crystalline polymers in the mixture to the at least one liquid fatty phase ranges from 0.20 to 0.60.

72. (Previously Presented) The makeup composition of claim 71, wherein the weight ratio of the semi-crystalline polymers in the mixture to the at least one liquid fatty phase ranges from 0.25 to 0.50.

73. (Previously Presented) The makeup composition of claim 35, wherein the composition contains less than 10% by weight of wax and/or less than 5% by weight of matting filler, relative to the total weight of the composition.

74. (Previously Presented) The makeup composition of claim 35, wherein the composition is in anhydrous form.

75. (Previously Presented) The makeup composition of claim 35, wherein the composition is in cast form.

76. (Previously Presented) The makeup composition of claim 35, wherein the composition is in the form of a mascara, eyeliner, foundation, lipstick, deodorant, body makeup product, eyeshadow or rouge or concealer product.

77. (Previously Presented) The makeup composition of claim 76, wherein the makeup composition is in the form of a solid stick with a hardness ranging from 100 to 350 gf.

78. (Currently Amended) A lipstick comprising:

- at least one liquid fatty phase structured with at least one semi-crystalline polymer having an organic structure, the melting temperature  $mp_1$  of which ranges from 55° C to 150° C, and at least one semi-crystalline polymer having an organic structure, the melting temperature  $mp_2$  of which ranges from 30° C to 50° C, wherein the semi-crystalline polymers are side chain crystallizable polymers; and wherein the ratio by weight of the low-melting point polymer to the high-melting polymer ranges from 50/50 to 90/10; and further wherein the total amount of the polymer mixture in the composition ranges from 15% to 80% by weight, relative to the total weight of the composition;

- at least one colorant; and

- at least one volatile oil.

79. (Withdrawn - Currently Amended) A cosmetic makeup process comprising applying to a keratin material a makeup composition comprising:



- at least one liquid fatty phase structured with a mixture of at least one semi-crystalline polymer having an organic structure ~~and a melting temperature of greater than or equal to 30° C.~~ selected from low-melting polymers having a melting temperature of less than 50° C. and at least one semi-crystalline polymer having an organic structure selected from high-melting polymers having a melting temperature of at least 50° C. wherein the semi-crystalline polymers are side chain crystallizable polymers; and wherein the ratio by weight of the low-melting point polymer to the high-melting polymer ranges from 50/50 to 90/10; and further wherein the total amount of the polymer mixture in the composition ranges from 15% to 80% by weight, relative to the total weight of the composition;

- at least one colorant; and

- at least one volatile oil;

wherein the liquid fatty phase, colorant, volatile oil and polymer together form a physiologically acceptable medium.

80. (Withdrawn- Currently Amended) The cosmetic makeup process of claim 79, wherein the at least one of the semi-crystalline polymers in the mixture has a melting temperature greater than the temperature of the keratin material.

81. (Withdrawn) The makeup composition of claim 80, wherein the keratin material is the skin or the lips.

82. (Withdrawn-Currently Amended) A process for obtaining a glossy composition, said process comprising including at least one volatile oil in a makeup composition comprising a physiologically acceptable medium comprising:

- at least one liquid fatty phase structured with a mixture of at least one semi-crystalline polymer having an organic structure ~~and a melting temperature of greater than or equal to 30° C.~~ selected from low-melting polymers having a melting temperature of less than 50° C. and at least one semi-crystalline polymer having an organic structure selected from high-melting polymers having a melting temperature of at least 50° C. wherein the semi-crystalline polymers are side chain crystallizable polymers; and wherein the ratio by weight of the low-melting point polymer to the high-melting polymer ranges from 50/50 to 90/10; and further wherein the total amount of the polymer mixture in the composition ranges from 15% to 80% by weight, relative to the total weight of the composition; and

-at least one colorant, and

applying said composition to a keratin material whereby a non-transfer film is formed.

83. (Withdrawn) The cosmetic makeup process of claim 83, wherein the keratin material is the lips.

84. (Withdrawn - Currently Amended) A process for obtaining a non-transfer composition that forms a glossy and comfortable coating when applied to a substrate, said process comprising including at least one volatile oil in a makeup composition comprising a physiologically acceptable medium comprising at least one liquid fatty phase structured with a mixture of at least one semi-crystalline polymer having an organic structure selected from low-melting polymers having a melting temperature of less than 50° C. and at least one semi-crystalline polymer having an organic structure selected from high-melting polymers having a melting temperature of at least 50° C.

wherein the semi-crystalline polymers are side chain crystallizable polymers; and  
wherein the ratio by weight of the low-melting point polymer to the high-melting polymer  
ranges from 50/50 to 90/10; and further wherein the total amount of the polymer mixture  
in the composition ranges from 15% to 80% by weight, relative to the total weight of the  
composition.